Tower Light Mounting brackets

User can select from a variety of Mounting brackets options depending on their application conditions.

Units: mm

· 18mm SCREW & NUT (Standard Type)
· 24mm SCREW & NUT (Standard Type)

Standard type pole mount installation. There is a screw at the end of the pole and it is equipped with nut for installation.

Material: Steel

Product Image	Technical Diagram for Applicable Models
18mm SCREW & NUT (Standard Type)	Ø18, 200, M18×1.5 THREAD ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
24mm SCREW & NUT (Standard Type)	Ø24, 120, M24×1.5 THREAD ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· LB18 | LB24

L-type bracket is attached to the pole mount tower light for installation to the side of the equipment.

Material: Steel

| Product Image	Technical Diagram for Applicable Models
LB18	Ø18, 69, 52, 25, 34, 75, 32, 2-Ø8.5 HOLES ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
LB24	Ø24, 70, 46, 32, 34, 81, 46, 2-Ø8.5 HOLES ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

Tower Light Mounting brackets

· LW18 | LW24

High-end L-type bracket is attached to the pole mount tower light for side of equipment installations. Wires can be threaded through the side of the bracket or come out at the bottom. The threads inside the bottom of the bracket can enable use of cable connectors.

Material: ABS
Color: Ivory

Product Image	Technical Diagram for Applicable Models
LW18	Ø18, Ø28, 4-Ø5.5 HOLES, 34, 46, 58, 14, 1/2" PF, 52, 66, 38, 50, 12X22 CABLE ENTRY ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
LW24	Ø24, Ø35, 4-Ø5.5 HOLES, 33, 34, 46, 70, 18, 1/2" PF, 52, 69.5, 38, 50, 12X22 CABLE ENTRY ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· SZ18 | SZ24

Round-shaped bracket for horizontal surface installation.

Material: Al
Color: Silver

| Product Image	Technical Diagram for Applicable Models
SZ18	4-Ø5 HOLES, PCD 56, 200, Ø18, 50, Ø70 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
SZ24	4-Ø5 HOLES, PCD 73, 113, Ø24, 55.5, Ø90 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

Tower Light Mounting brackets

Units: mm

· QZ18 | QZ24

Round-shaped bracket for horizontal surface installation.

Material: ABS
Color: Black

Product Image	Technical Diagram for Applicable Models
QZ18	PCD 54-56 / 4-Ø5.5 HOLES(Slot Hole) / Ø18 / 51 / Ø70 / 6.5 / 5.5 / FITTING HOLES
	ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
QZ24	PCD 54-56 / 4-Ø5.5 HOLES(Slot Hole) / Ø24 / 55 / Ø70 / 6.5 / 5.5 / FITTING HOLES
	ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· SL18 | SL24

A angle adjustable bracket (15 degree intervals for a range of 0-180 degrees) enables easy vertical, horizontal, and slanted installation.

Material: Al
Color: Silver

| Product Image	Technical Diagram for Applicable Models
SL18	Ø18 / 66 / 45.5 / Ø90 / 9.5 / PCD 73 / 4-7.2 / 4-6.2 / (13.7) / (10.9)
	ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
SL24	Ø24 / 66 / 45.5 / Ø90 / 9.5 / PCD 73 / 4-7.2 / 4-6.2 / (13.7) / (10.9)
	ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

Tower Light Mounting brackets

Units: mm

· QL18 | QL24

A angle adjustable bracket (5 degree intervals for a range of 0-180 degrees) enables easy vertical, horizontal, and slanted installation.

Material: ABS
Color: Black

| Product Image	Technical Diagram for Applicable Models
QL18	PCD54-56, Ø18 CABLE ENTRY, Ø18, 67, 51.5, Ø70, 4-Ø5.5 HOLES(Slot Hole), 6.5, 5.5, FITTING HOLES
	ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
QL24	PCD71-73, Ø18 CABLE ENTRY, Ø24, 67, 51.5, Ø90, 4-Ø5.5 HOLES(Slot Hole), 6.5, 5.5, FITTING HOLES
	ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· FB18

A angle adjustable bracket (5 degree intervals for a range of 0-180 degrees) enables easy vertical, horizontal, and slanted installation.

Material: ABS
Color: Black, Ivory

Product Image	Technical Diagram for Applicable Models
FB18 (Black)	M18xP1.5 TAP DP10, Ø24, Ø18.3, 33.5, 105.5, Ø38, 44.5, 0.5, 70, 70, 51.6, 4-Ø6.5 FITING HOLSES, Ø73, CABLE ENTRY(□32x13), 51.6, 70, 13, 32, BOTTOM VIEW
	EST56L
FB18 (Ivory)	M18xP1.5 TAP DP10, Ø24, Ø18.3, 33.5, 105.5, Ø38, 44.5, 0.5, 70, 70, 51.6, 4-Ø6.5 FITING HOLSES, Ø73, CABLE ENTRY(□32x13), 51.6, 70, 13, 32, BOTTOM VIEW
	EST56L

Tower Light Mounting brackets

Units: mm

· TWS45 | TWS80

Bracket options for direct mount warning/
signal light installation.
Material: Steel
Color: Silver, Ivory

| Product Image	Technical Diagram for Applicable Models
 TWS45	 ST45 / ST56M Series, STG40 / STG50M Series, STC45 / STC56M Series, QTG50 / QTG60M Series, QTC50M / QTC60M Series, QTR50 / QTR60M Series, QT50M Series, QTG60M-WIZ Series, MTG50 / MTG60M Series, MTC50 / MTC60M Series, MTR50 / MTR60M Series, QTG50 / QTG60M-USB Series, QTC50 / QTC60M-USB Series, QTR50 / QTR60M-USB Series, QTG50 / QTG60M-ETN Series, QTC50 / QTC60M-ETN Series, QTR50 / QTR60M-ETN Series
 TWS80	 ST80M Series, STC80 Series, QTG70M Series, QTC70M Series, QTR70M Series, MTG70M Series, MTC70M Series, MTR70M Series, QT70M Series, QTG70M-USB Series, QTC70M-USB Series, QTR70M-USB Series, QTG70M-ETN Series, QTC70M-ETN Series, QTR70M-ETN Series, QTG70M-WIZ Series

· TWA45 | TWA80

Bracket options for direct mount warning/
signal light installation.
Bracket structure allows for contained
and tidy wiring with no exposed wires.

Material: PC
Color: Black, Ivory

| Product Image	Technical Diagram for Applicable Models
 TWA45	 ST45 / ST56M Series, STG40 / STG50M Series, STC45 / STC56M Series, QTG50 / QTG60M Series, QTC50M / QTC60M Series, QTR50 / QTR60M Series, QT50M Series, QTG60M-WIZ Series, MTG50 / MTG60M Series, MTC50 / MTC60M Series, MTR50 / MTR60M Series, QTG50 / QTG60M-USB Series, QTC50 / QTC60M-USB Series, QTR50 / QTR60M-USB Series, QTG50 / QTG60M-ETN Series, QTC50 / QTC60M-ETN Series, QTR50 / QTR60M-ETN Series
 TWA80	 ST80M Series, STC80 Series, QTG70M Series, QTC70M Series, QTR70M Series, MTG70M Series, MTC70M Series, MTR70M Series, QT70M Series, QTG70M-USB Series, QTC70M-USB Series, QTR70M-USB Series, QTG70M-ETN Series, QTC70M-ETN Series, QTR70M-ETN Series, QTG70M-WIZ Series

Tower Light Mounting brackets

Units: mm

· **STAWB25 | STAWB45**

Bracket options for direct mount warning/signal light installation.

Material: Steel
Color: Silver, Ivory

Product Image	Technical Diagram for Applicable Models
STAWB25	STA25SLM, STA35SL, STA35SLM
STAWB45	STA45SLM

STAWB25 diagram: Ø23.6, 39, 22.5, 45, 4-Ø8.5 HOLES, 65, 90, 20, 45, 53

STAWB45 diagram: Ø22, 49, 27.5, 50, 4-Ø8.5 HOLES, 65, 90, 20, 45, 53