



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX EPS 21.0030X** Page 1 of 3 Certificate history:

Status: **Current** Issue No: 0

Date of Issue: 2021-06-07

Applicant: **Q-light**
185-25, Mukbang-Ro
Sangdong-Myeon
Gimhae-Si
Gyeongsangnam-Do
Korea, Republic of

Equipment: **Flame-Proof Fire Warning light: [QNE-CR] Flame-Proof Fire Warning light and Siren Buzzer Combination: [QNES-CR]**

Optional accessory:

Type of Protection: **Flameproof enclosure "d"**

Marking: **Ex db IIC T6/T5 Gb**

Approved for issue on behalf of the IECEx
Certification Body:

Position:

Signature:
(for printed version)

Date:

Holger Schaffer

Manager certification

2021-06-07



1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

Bureau Veritas Consumer Products Services Germany GmbH
Businesspark A96
86842 Türkheim
Germany





IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 21.0030X**

Page 2 of 3

Date of issue: 2021-06-07

Issue No: 0

Manufacturer: **Q-light**
185-25, Mukbang-Ro
Sangdong-Myeon
Gimhae-Si
Gyeongsangnam-Do
Korea, Republic of

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:7.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[DE/EPS/ExTR21.0029/00](#)

Quality Assessment Report:

[DE/EPS/QAR14.0012/07](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 21.0030X**

Page 3 of 3

Date of issue: 2021-06-07

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Flameproof fire warning light/ Flameproof fire warning light and siren buzzer combination QNE/QNES -CR are composed of a body and globe. Spigot joints and cemented joints are applied to the light part. Two entries are located on the body. Enclosure material can be stainless steel or aluminum. Thread type can be 1/2 NPT, 3/4 NPT, M20 or M25. The equipment provides a degree of protection IP66 in accordance with IEC 60529.

Ambient temperature

For QNE-CR : -52 °C to +50 °C(T6), -52 °C to +60 °C(T5)

For QNES -CR : -52 °C to +45 °C(T6), -52 °C to +60 °C(T5)

Electrical data

For QNE-CR: (12~24) Vdc, 7 W or (110~230) Vac, 20 W

For QNES-CR: (12~24) Vdc, 23 W or (110~230) Vac, 43 W

SPECIFIC CONDITIONS OF USE: YES as shown below:

- For information on the dimensions of the flameproof joints, the manufacturer shall be contacted.
- Potential electrostatic charging hazard - See instructions.
- Use Fasteners with yield stress ≥ 899 MPa, where the 899 MPa is determined by the applicable testing.