



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX EPS 15.0030X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 1 Issue 0 (2015-06-16)
Date of Issue: 2022-12-08
Applicant: **QLight Co., Ltd.**
185-25, Mukbang-Ro, Sangdong-Myeon, Gimhae-Si, Gyeongsangnam-Do
Korea, Republic of
Equipment: **limit switch SLP 5130-xx**
Optional accessory:
Type of Protection: **"db", "tb"**
Marking: **Ex db IIC T6 Gb**
Ex tb IIIC T85°C Db

Approved for issue on behalf of the IECEx
Certification Body:

Position:

Signature:
(for printed version)

Date:
(for printed version)



1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

Bureau Veritas Consumer Products Services Germany GmbH
Businesspark A96
86842 Türkheim
Germany





IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 15.0030X**

Page 2 of 4

Date of issue: 2022-12-08

Issue No: 1

Manufacturer: **QLight Co., Ltd.**
185-25, Mukbang-Ro, Sangdong-Myeon, Gimhae-Si, Gyeongsangnam-Do
Korea, Republic of

Manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:7.0

IEC
60079-31:2022-01 Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"
Edition:3.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

DE/EPS/ExTR15.0033/02

Quality Assessment Report:

DE/EPS/QAR14.0012/08



IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 15.0030X**

Page 3 of 4

Date of issue: 2022-12-08

Issue No: 1

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

limit switch for external mounting. Construction with different lever design (AL, RL, R, RP, P, SW). Material type aluminium or brass. Ingress protection IP66.

Electrical ratings:

10A-125VAC,

6A-250VAC,

0.8A-125VDC,

0.4A-250VDC

SPECIFIC CONDITIONS OF USE: YES as shown below:

Ambient temperature range: -55 °C to + 65 °C

Flameproof joints are not intended to be repaired.



IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 15.0030X**

Page 4 of 4

Date of issue: 2022-12-08

Issue No: 1

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Update of standards

Addition of new lever designs (RP, P, SW)