






MARK	DATE	REVISION	REVISER	APP .BY
①				
②				
③				

MODEL NO		QAP100BZ		
MATERIAL		HOUSING-ABS		
		RESONANCE CHAMBER-ABS		
		-		
COLOR OF HOUSING		MAKER STANDARD		
USE VOLT.	CURRNET	DC12V	MAX. 0.300A	
		DC24V	MAX. 0.150A	
		AC110V ~ 220V	MAX. 0.095A	
VOLUME		MAX. 105dB at 1m		
PROTECTION GRADE		WATER & DUST PROOF - IP65		
CABLE ENTRY		ø10 CABLE ENTRY		



ISO2768-1 : CLASS OF TOLERANCE						SURFACE FINISH	-	-	-	-	1	-					
FOR LINEAR DIMENSIONS		f	m	Ⓒ	v		Nr.	DWG. NO.	TITLE/ NAME	MAT'L	QTY	REFERENCE					
	0.5~3	±0.05	±0.1	±0.2	-	DSND BY S.H.KIM	CHKD BY J.H.PARK		APRV BY J.K.HAN	VIEW 3	DATE 2019.03.20						
	3~6			±0.3	±0.5												
	6~30	±0.1	±0.2	±0.5	±1	TITLE QAP100BZ OUTLINE DRAWING											
	30~120	±0.15	±0.3	±0.8	±1.5							MODEL QAP100BZ					
	120~400	±0.2	±0.5	±1.2	±2.5												
400~1000	±0.3	±0.8	±2	±4	DWG. NO. QAP100BZ_OUT												
FOR ANGULAR DIMENSIONS	0~10	±1°	±1°30'	±3°													
	10~50	±0°30'	±1°	±2°													
	50~120	±0°20'	±0°30'	±1°													SCALE N/S
	120~400	±0°10'	±0°13'	±0°30'	SIZE A4												
									REV 00				SHEET 1/1				

A4(297X210)